



“my
Reference,”

CREATION 30

Gerflor[®]
the flooring group


30 | CREATION BOOK

CREATION 30 GLUE DOWN



PERMANENT ADHESIVE
COLLAGE PERMANENT
VOLLFLÄCHIGE
VERKLEBUNG

CREATION 30 CLIC



INTERLOCKING
CLIPSABLE
KLIKSYSYSTEM



5X MORE RESISTANT **30%** FASTER

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE DES DESIGNS



LIGHT /
LÉGER /
GERING



MEDIUM /
MOYEN /
MITTEL



HIGH /
FORT /
HOCH

ALAMO	P.14
AMADOR	P.18
AMARANTE	P.32
ARENA	P.10
ASPEN	P.54
BACK STREET	P.68
BALLERINA	P.44
BOSTONIAN OAK	P.06
BROWNIE	P.50
BUFFALO	P.52
CAMBRIDGE	P.40
CARMEL	P.74
CARRARE	P.76
CEDAR	P.34
CEMENTINE	P.70
CHEVRON	P.22
DURANGO TAUPE	P.78
HONEY OAK	P.30
LONGBOARD	P.28
MALUA BAY	P.08
MICHIGAN	P.48
NORTHWOOD	P.36
NORVEGIAN STONE	P.64
OXFORD	P.20
PARKER STATION	P.62
PASHMINA	P.56
QUARTET	P.42
RIVERSIDE	P.58
ROYAL OAK	P.38
RUSTIC OAK	P.46
RANCH	P.16
REGGIA	P.72
SILVER CITY	P.60
STACCATO	P.66
SWISS OAK	P.04
TIMBER	P.24
TWIST	P.26
WHITE LIME	P.12

SWISS OAK



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK GOLDEN
0796



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK BEIGE
0848



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK CASHMERE
0795



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK PEARL
0846



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK SMOKED
0847

Format / mm



BOSTONIAN OAK



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK HONEY
0851



184 x 1219



214 x 1239

BOSTONIAN OAK
0871



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK BEIGE
0853



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK GREY
0855



MALUA BAY



184 x 1219



214 x 1239

MALUA BAY
0448



ARENA



184 x 1219



214 x 1239

ARENA
0060



WHITE LIME



WHITE LIME
0584



184 x 1219



214 x 1239



ALAMO



ALAMO ASH



ALAMO ASH
0737



184 x 1219



ALAMO SAND
0738



184 x 1219

Format / mm



RANCH



184 x 1219
230 x 1500



214 x 1239
242 x 1461

RANCH
0456



AMADOR



184 x 1219



214 x 1239

AMADOR
0447



OXFORD



184 x 1219



214 x 1239

OXFORD
0061



CHEVRON



CHEVRON HURRICANE



184 x 1219

CHEVRON BUCKWHEAT
0811



184 x 1219

CHEVRON HURRICANE
0809

Format / mm



TIMBER



TIMBER CAMEL
0742



184 x 1219



TIMBER GOLD
0874



184 x 1219



TIMBER RUST
0741



184 x 1219



TWIST



TWIST
0504



184 x 1219



214 x 1239



LONGBOARD



184 x 1219



214 x 1239

LONGBOARD
0455



HONEY OAK



184 x 1219



214 x 1239

HONEY OAK
0441



AMARANTE



184 x 1219



214 x 1239

AMARANTE
0579



CEDAR



CEDAR PURE
0849



230 x 1500



242 x 1461



CEDAR BROWN
0850



230 x 1500



242 x 1461

Format / mm



NORTHWOOD



NORTHWOOD MOKACCINO



184 x 1219

NORTHWOOD MACCHIATO
0816



184 x 1219

NORTHWOOD MOKACCINO
0817

Format / mm



ROYAL OAK



ROYAL OAK BLOND
0812



184 x 1219



ROYAL OAK COFFEE
0740



184 x 1219



ROYAL OAK GOLD
0739



184 x 1219



CAMBRIDGE



184 x 1219



214 x 1239

CAMBRIDGE
0465



QUARTET



184 x 1219



214 x 1239

QUARTET
0503



184 x 1219



214 x 1239

QUARTET FAUVE
0859



184 x 1219

QUARTET HONEY
0870

Format / mm



BALLERINA



BALLERINA
0347



184 x 1219



214 x 1239



RUSTIC OAK



184 x 1219



214 x 1239

RUSTIC OAK
0445



MICHIGAN



184 x 1219



214 x 1239

MICHIGAN
0461



BROWNIE



184 x 1219



214 x 1239

BROWNIE
0459



BUFFALO



184 x 1219



214 x 1239

BUFFALO
0457



DREAM
COSTLY
LISTEN
TALK
LOVE
SILENCE
HOPE
HEAR
BELIEVE

99 THEORIES IN A BOX

ASPEN



184 x 1219



214 x 1239

ASPEN
0458



PASHMINA



PASHMINA STORM



457 x 914

PASHMINA CLOUD
0747



457 x 914

PASHMINA STORM
0746

Format / mm



RIVERSIDE



610 x 610



391 x 729

RIVERSIDE
0436



SILVER CITY



610 x 610



391 x 729

SILVER CITY
0373



PARKER STATION



610 x 610



391 x 729

PARKER STATION
0374



NORVEGIAN STONE



457 x 914




391 x 729

NORVEGIAN STONE
0860



STACCATO



610 x 610



391 x 729

STACCATO
0476



BACK STREET




457 x 914

BACK STREET
0748



CEMENTINE



CEMENTINE DENIM



CEMENTINE BUCKSKIN
0865



457 x 914



391 x 729



CEMENTINE DENIM
0864



457 x 914



391 x 729

Format / mm



REGGIA



REGGIA IVORY




457 x 914



391 x 729

REGGIA IVORY
0861



457 x 914

REGGIA TAUPE
0862

Format / mm



CARMEL



457 x 914



391 x 729

CARMEL
0618



CARRARE



457 x 914



391 x 729

CARRARE
0744



DURANGO TAUPE



610 x 610



391 x 729

DURANGO TAUPE
0751




MORE THAN A FLOOR... FLOOR, WALL & FINISHES
PLUS QU'UN SOL... SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS
MEHR ALS NUR BELAG... BODEN, WAND & ZUBEHÖR



TOOLS /
OUTILS /
WERKZEUGE



































ADD-ON UNDERLAYERS /
SOUS COUCHES
COMPLEMENTAIRES /
UNTERLAGEN



































FOR MORE DETAILS /
PLUS DE DÉTAILS /
WEITERE INFORMATIONEN
GERFLOR.COM






CROSS REFERENCES / RÉFÉRENCES CROISÉES / ÜBERSICHT

SCANS	COLOR DESIGN	EMBOSS / GRAIN / PRÄGUNG	GLUE DOWN	CLIC	SKIRTINGS /
			INSTALLATION / À COLLER	INSTALLATION / À CLIPSER	PLINTHES / SOCKELLEISTEN
					Matching design 
	ALAMO ASH 0737	ALAMO	184 x 1219 mm		S002
	ALAMO SAND 0738	ALAMO	184 x 1219 mm		S003
	AMADOR 0447	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S004
	AMARANTE 0579	BRUSHED	184 x 1219 mm	214 x 1239 mm	S005
	ARENA 0060	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S026
	ASPEN 0458	BRUSHED	184 x 1219 mm	214 x 1239 mm	S006
	BACK STREET 0748	HAMMERED	457 x 914 mm		S007
	BALLERINA 0347	NATURAL	184 x 1219 mm	214 x 1239 mm	S008
	BOSTONIAN OAK 0871	NATURAL	184 x 1219 mm	214 x 1239 mm	S016
	BOSTONIAN OAK BEIGE 0853	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S017
	BOSTONIAN OAK GREY 0855	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S018
	BOSTONIAN OAK HONEY 0851	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S019
	BROWNIE 0459	NATURAL	184 x 1219 mm	214 x 1239 mm	S073
	BUFFALO 0457	BRUSHED	184 x 1219 mm	214 x 1239 mm	S075
	CAMBRIDGE 0465	NATURAL	184 x 1219 mm	214 x 1239 mm	S065
	CARMEL 0618	HAMMERED	457 x 914 mm	391 x 729 mm	S020
	CARRARE 0744	STONE	457 x 914 mm	391 x 729 mm	S021
	CEDAR BROWN 0850	NATURAL	230 x 1500 mm	242 x 1461 mm	S024
	CEDAR PURE 0849	NATURAL	230 x 1500 mm	242 x 1461 mm	S025
	CEMENTINE BUCKSKIN 0865	STONE	457 x 914 mm	391 x 729 mm	S023
	CEMENTINE DENIM 0864	STONE	457 x 914 mm	391 x 729 mm	S022
	CHEVRON BUCKWHEAT 0811	CHEVRON	184 x 1219 mm		S029
	CHEVRON HURRICANE 0809	CHEVRON	184 x 1219 mm		S030
	DURANGO TAUPE 0751	HAMMERED	610 x 610 mm	391 x 729 mm	S027
	HONEY OAK 0441	NATURAL	184 x 1219 mm	214 x 1239 mm	S033
	LONG BOARD 0455	BRUSHED	184 x 1219 mm	214 x 1239 mm	S034
	MALUA BAY 0448	BRUSHED	184 x 1219 mm	214 x 1239 mm	S035
	MICHIGAN 0461	BRUSHED	184 x 1219 mm	214 x 1239 mm	S038
	NORTHWOOD MACCHIATO 0816	BRUSHED	184 x 1219 mm		S040

SCANS	COLOR DESIGN	EMBOSS / GRAIN / PRÄGUNG	GLUE DOWN	CLIC	SKIRTINGS /
			INSTALLATION / À COLLER	INSTALLATION / À CLIPSER	PLINTHES / SOCKELLEISTEN
					Matching design 
	NORTHWOOD MOKACCINO 0817	BRUSHED	184 x 1219 mm		S041
	NORVEGIAN STONE 0860	HAMMERED	457 x 914 mm	391 x 729 mm	S042
	OXFORD 0061	BRUSHED	184 x 1219 mm	214 x 1239 mm	S043
	PARKER STATION 0374	HAMMERED	610 x 610 mm	391 x 729 mm	S047
	PASHMINA CLOUD 0747	STONE	457 x 914 mm		S049
	PASHMINA STORM 0746	STONE	457 x 914 mm		S050
	QUARTET 0503	NATURAL	184 x 1219 mm	214 x 1239 mm	S056
	QUARTET FAUVE 0859	NATURAL	184 x 1219 mm	214 x 1239 mm	S057
	QUARTET HONEY 0870	NATURAL	184 x 1219 mm		S058
	RANCH 0456	BRUSHED	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S053
	REGGIA IVORY 0861	STONE	457 x 914 mm	391 x 729 mm	S054
	REGGIA TAUPE 0862	STONE	457 x 914 mm		S055
	RIVERSIDE 0436	HAMMERED	610 x 610 mm	391 x 729 mm	S032
	ROYAL OAK BLOND 0812	ROYAL OAK	184 x 1219 mm		S060
	ROYAL OAK COFFEE 0740	ROYAL OAK	184 x 1219 mm		S061
	ROYAL OAK GOLD 0739	ROYAL OAK	184 x 1219 mm		S059
	RUSTIC OAK 0445	BRUSHED	184 x 1219 mm	214 x 1239 mm	S062
	SILVER CITY 0373	HAMMERED	610 x 610 mm	391 x 729 mm	S048
	STACCATO 0476	PERFORATED	610 x 610 mm	391 x 729 mm	S064
	SWISS OAK BEIGE 0848	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S011
	SWISS OAK CASHMERE 0795	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S012
	SWISS OAK GOLDEN 0796	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S015
	SWISS OAK PEARL 0846	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S014
	SWISS OAK SMOKED 0847	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	S013
	TIMBER CAMEL 0742	BRUSHED	184 x 1219 mm		S066
	TIMBER GOLD 0874	BRUSHED	184 x 1219 mm		S067
	TIMBER RUST 0741	BRUSHED	184 x 1219 mm		S068
	TWIST 0504	NATURAL	184 x 1219 mm	214 x 1239 mm	S039
	WHITE LIME 0584	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	S074

EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
SURFACES GRAINÉES **POUR UNE MATIÈRE TRÈS RÉALISTE**
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**



CREATION 30

TECHNICAL DATA

CREATION 30	CREATION 30 CLIC
Design	

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIÇÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.00	4.50
	ASTM F386-02	inch	0.08	0.18
Thickness of the wearlayer / Dicke der Nuttschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.30	0.40
	ASTM F410-02	inch	0.01	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Peso	EN ISO 23997	g/m ²	3460	7385
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219 / 230x1500 457x914 / 610x610	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7.25"x48" / 9"x59" 18"x36" / 24"x24"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Clasificación europea / Classificação Europeia / Europea	EN ISO 10874	Class	23 - 31	32
Classement UPEC	-	-	U2SP3E2C2	-
Certification	QB 30	n°	783/356-003.1	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehaufladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Tecnolositá umida ⁽¹⁾	DIN 51130/BGR 181	Class	R10	R10

PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm ³	≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvastheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilitá dimensionale (requisito normativo)	EN ISO 23999	%	≤ 0.25	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidade Dimensional (Valor medido) / Stabilitá dimensionale (rilevata)	-	%	≤ 0.10	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)	ISO 4918	-	OK	OK
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemotstånd	EN ISO 10456	W/(m.K)	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistência a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici ⁽²⁾	EN ISO 26987	-	OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m ³	< 10	< 10
Certification / Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

	EN 14041	-				
--	----------	---	--	--	--	--

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile

(2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

COMPOSITION 100% REACH Phthalate Free <small>(except recycled content)</small>	INDOOR AIR QUALITY TVOC below detection level No Formaldehyde emission	RECYCLED CONTENT Glue Down: 35% Clic: 55%	RECYCLABILITY 100%	INSTALLATION Clic: Adhesive free	LCA Clic: Lowest Carbon Footprint CO ₂ emissions/sqm 10 times lower than standard process	WELLNESS Walking noise reduction: -10dB vs laminate

INTERIOR DESIGNER



interiordesigner.gerflor.com



30 years experience

Since 1985

Manufacturer

3 LVT Factories

World Class Logistics

12 Logistics Hubs

Gerflor Design Centre

Exclusive Designs



“Serenity,,
Leila - **End User**



“Time saving,,
Mika - **Installer**



“Design,,
Pierre - **Architect**



“Confidence,,
Claire - **Store Manager**



“Reliability,,
Lucas - **Distributor**

Gerflor is our **Reference**